

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S96	3340	booth.inv.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:37
S97	46492	ibm.asn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:38
S98	20	S96 and S97	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:38
S99	91	lingafelt.inv.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:38
S100	98967	(business adj machines).asn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:39
S101	88	S99 and S100	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:39
S102	4	S96 and S101	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 10:39
S103	4	("5668800" "6473798" "6549882" "6643776").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/05/10 13:16
S104	2	("6708218").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 13:33

S105	1429	solution adj center	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 13:34
S106	3654	cisco.asn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 13:34
S107	0	S105 and S106	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 13:35
S109	8	S106 and ipsec and (vpn or (virtual adj2 network))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 13:37
S110	3	S106 and testing same (vpn or (virtual adj2 network))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 13:37
S111	11	("4055808" "4750175" "5220641" "5381515" "5563875" "5666467" "5668800" "5982753" "6094437" "6160871" "6282678").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/05/10 13:37
S112	5	("6473798").URPN.	USPAT	OR	ON	2005/05/10 13:37
S113	20	("5708654" "5864666" "5931961" "6028933" "6104716" "6195705" "6212634" "6301229" "6337861" "6438612" "6466964" "6473798" "6496704" "6501746" "6501760" "6574214" "6591306" "6621810" "6625657" "6628654").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/05/10 13:50
S114	2	("6438612").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 13:50

S115	8	("6438612").URPN.	USPAT	OR	ON	2005/05/10 13:54
S117	2	("6006264").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 14:00
S116	3	S115 and (ping or echo or test or icmp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 14:07
S118	105	ipsec same (ping or echo or test or icmp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 14:11
S119	19	S118 and @ad<"20001116"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 14:12
S121	47	ipsec same (test\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/10 14:12
S122	16	S121 and @ad<"20001116"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 10:54
S124	0	("6360269").URPN.	USPAT	OR	ON	2005/05/11 10:57
S129	2	(heart\$1beat or keep\$1alive) same (tunnel) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:09
S130	3	("6412009").URPN.	USPAT	OR	ON	2005/05/11 11:09
S128	1	(heart\$1beat or keep\$1alive) with (tunnel) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:10

S131	43	(hello or echo or ping) with (tunnel) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:10
S132	30	("5864666").URPN.	USPAT	OR	ON	2005/05/11 11:14
S133	20	("5708654" "5864666" "5931961" "6028933" "6104716" "6195705" "6212634" "6301229" "6337861" "6438612" "6466964" "6473798" "6496704" "6501746" "6501760" "6574214" "6591306" "6621810" "6625657" "6628654").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/05/11 11:16
S127	61	S126 and (security or encryption or tunnel\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:18
S134	0	S126 and (ipsec)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:18
S135	33	S126 and (icmp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:18
S126	223	(hello or echo or ping or heart\$1beat or keep\$1alive) same (responsiveness or connectivity) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:24
S137	3	(hello or echo or ping or heart\$1beat or keep\$1alive) same (ipsec) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:25
S136	1294	(hello or echo or ping or heart\$1beat or keep\$1alive) same (ipsec or encrypt\$3 or key) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:26

S138	292	(hello or echo or ping or heart\$1beat or keep\$1alive) same (encrypt\$3) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:27
S139	3	(hello or echo or ping or heart\$1beat or keep\$1alive) with (monitor\$3) same (encrypt\$3) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:27
S140	36123	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/11 11:27
S141	41	S138 and S140	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:27
S123	4	(echo or ping or heart\$1beat or keep\$1alive) same (secure near4 (connection or link or tunnel)) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:31
S125	201	(echo or ping or heart\$1beat or keep\$1alive) same (responsiveness or connectivity) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:32
S143	23	(responsiveness or connectivity) same (secure\$1 near5 (connection or link or tunnel)) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:36
S142	2	(echo or ping or heart\$1beat or keep\$1alive) and (responsiveness or connectivity) same (secure\$1 near5 (connection or link or tunnel)) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:37
S144	38	(echo or ping or heart\$1beat or keep\$1alive) and (responsiveness or connectivity) same (vpn or (virtual adj2 network)) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:51

S145	0	(echo or ping or heart\$1beat or keep\$1alive) same (ike) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:52
S146	147	(echo or ping or heart\$1beat or keep\$1alive) same ((security adj association) or ("sa"))and @ad<""20000503""	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:52
S147	31	(heart\$1beat or keep\$1alive) same ((security adj association) or ("sa"))and @ad<""20000503""	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:53
S148	2	S140 and S147	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:53
S149	5	S140 and S146	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:56
S150	0	dead adj peer adj detection	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:56
S151	3654	cisco.asn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:56
S152	0	S151 and dead adj peer	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:56
S153	2	ike with (liveliness or connectivity or responsiveness)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/11 11:57

S154	70	ping same icmp and tunnel	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:16
S156	586	ping same icmp	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:17
S158	45	S156 and S157	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:18
S159	45	S158 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:46
S160	4	(l2tp or l2f or pptp) same ping	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:48
S161	18	(l2tp or l2f or pptp) same icmp	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 11:48
S162	32	(l2tp or l2f or pptp) and icmp with (ping or echo)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 13:55
S157	4755	(echo or ping or heart\$1beat or keep\$1alive) same (test\$3 or connectivity or responsiveness) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 13:56
S163	346972	ipsec same security association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 13:56

S164	3979	S163 and (echo or ping or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 13:56
S169	3	S168 not S166	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:05
S167	540	ipsec and security adj association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:08
S170	15	ipsec same (connectivity or responsiveness) and security adj association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:10
S171	5	ipsec and (test\$3 or determin\$3) with (connectivity or responsiveness) and security adj association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:11
S172	7	ipsec and (test\$3 near5 connection) and security adj association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:11
S173	18	S167 and (icmp) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:13
S174	16	S173 not S168	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:14
S168	12	S167 and (echo or ping or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:36

S175	5	S167 and (pinging) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:36
S165	412	ipsec same security adj association	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:38
S176	1107	ipsec same encrypt\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:38
S166	9	S165 and (echo or ping or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:39
S155	24	S154 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:44
S178	137	(echo or ping\$3 or heart\$1beat or keep\$1alive) same (vpn or virtual adj2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:45
S179	39	S178 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:45
S180	73	(ping\$3 or heart\$1beat or keep\$1alive) same (vpn or virtual adj2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:45
S181	5	S180 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:45

S177	34	S176 and (echo or ping\$3 or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 14:59
S182	25	(echo or ping\$3 or heart\$1beat or keep\$1alive) near6 tunnel and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 15:02
S184	16	S183 and (icmp or ipsec)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 15:02
S186	51	(ping\$3 or heart\$1beat or keep\$1alive) near6 determin\$5 near6 (alive or active) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 16:19
S187	4	("6304546").URPN.	USPAT	OR	ON	2005/05/13 16:24

S188	168	("4131767" "4161719" "4316284" "4397020" "4419728" "4424565" "4437087" "4438511" "4439763" "4445213" "4446555" "4456957" "4464658" "4499576" "4506358" "4507760" "4532626" "4644532" "4646287" "4677423" "4679227" "4723267" "4731816" "4750136" "4757495" "4763194" "4769810" "4769811" "4771425" "4819228" "4827411" "4833706" "4835737" "4879551" "4893306" "4903261" "4922486" "4933937" "4960310" "4962497" "4962532" "4965772" "4970678" "4980897" "4991169" "5003595" "5014265" "5020058" "5033076" "5054034" "5059925" "5072449" "5088032" "5115431" "5128945" "5136580" "5166930" "5199049" "5206886" "5208811" "5212686" "5224099" "5226120" "5228062" "5229994" "5237564" "5241682" "5243342" "5243596" "5247516" "5249178" "5253251" "5255291" "5260933" "5260978" "5268592" "5268900" "5271004" "5274631" "5274635" "5274643" "5280470" "5280480" "5280500" "5283783" "5287103" "5291482" "5305311" "5307343" "5311509" "5313454" "5313582" "5317562" "5319644" "5327421" "5331637" "5345445" "5345446" "5359592" "5361250" "5361256" "5361259" "5365524" "5367517" "5371852" "5386567" "5390170" "5390175" "5394394" "5394402" "5400326" "5408469" "5416842" "5422880"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/05/13 16:24
------	-----	--	-------------------------------	----	----	---------------------

S185	1026	(ping\$3 or heart\$1beat or keep\$1alive) near6 (alive or active) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 16:35
S190	12	(test\$3 or analy\$5 or diagnos\$5) near5 (connection or tunnel or link) same (icmp) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 16:44
S193	15	(test\$3 or analy\$5 or diagnos\$5) near5 (vpn or virtual adj2 network) and (echo or ping\$3 or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 16:47
S183	263	(ping\$3 or heart\$1beat or keep\$1alive) near6 connection and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 17:17
S194	5	(ping\$3 or heart\$1beat or keep\$1alive) near6 endpoint and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/13 17:17
S195	6	((("5727002") or ("5805803") or ("6104716"))).PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/16 11:44
S196	688	rinehart.xp.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 11:45
S197	34	S196 and secur\$3 with (connection or link or tunnel)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 11:45
S198	553	(mark near rinehart).xp.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 11:45

S200	27	S198 and (ping or heart\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 11:49
S201	3	S199 and S200	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 11:49
S189	1	(heart\$1beat or keep\$1alive) same (icmp) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 12:10
S202	5	(heart\$1beat or keep\$1alive) and ping same (icmp) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 12:10
S199	32	S198 and secur\$3 with (connection or link or tunnel)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 12:21
S203	45	S198 and (connection or link or tunnel) with (test\$3 or valid or connectivity)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 13:11
S204	2	pinger adj module	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 13:11
S191	2573	(test\$3 or analy\$5 or diagnos\$5) near5 (tunnel) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 16:05
S192	12	(test\$3 or analy\$5 or diagnos\$5) near5 (tunnel) same (echo or ping\$3 or heart\$1beat or keep\$1alive) and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 16:07

S206	9	ping near5 icmp same packet adj2 groper	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/16 16:08
S207	47	(US-20020030864-\$ or US-20020031214-\$ or US-20020056008-\$ or US-20020099937-\$).did. or (US-5751971-\$ or US-5805803-\$ or US-5822520-\$ or US-5864666-\$ or US-6047330-\$ or US-6055575-\$ or US-6079020-\$ or US-6094437-\$ or US-6170012-\$ or US-6173311-\$ or US-6173411-\$ or US-6182226-\$ or US-6356949-\$ or US-6360269-\$ or US-6363477-\$ or US-6392990-\$ or US-6438612-\$ or US-6446200-\$ or US-6473798-\$ or US-6505192-\$ or US-6594246-\$ or US-6611868-\$ or US-6625657-\$ or US-6636898-\$ or US-6640248-\$ or US-6643701-\$).did. or (US-6654347-\$ or US-6654914-\$ or US-6668282-\$ or US-6675208-\$ or US-6678827-\$ or US-6680922-\$ or US-6697354-\$ or US-6708218-\$ or US-6715081-\$ or US-6751663-\$ or US-6816462-\$ or US-6829709-\$ or US-6870827-\$ or US-6581166-\$ or US-6173322-\$ or US-5938732-\$).did. or (US-5805803-\$).did.	US-PGPUB ; USPAT; DERWENT	OR	ON	2005/05/17 15:49
S208	3	S207 and proxy adj ping	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 15:50
S209	10	ping\$3 near5 ppp	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:29

S210	11	ping\$3 near10 ppp	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:29
S211	0	(heartbeat or keepalive) near5 ppp	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:31
S213	14	ppp adj client and (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:40
S215	12	(ipx or spx or netbios) near5 (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:40
S214	45	(ipx or spx or netbios) same (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:43
S216	30	S214 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 16:43
S212	0	ppp adj client same (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:51
S217	36267	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/17 17:51
S218	1997	alive same (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:51

S219	420	S217 and S218	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:51
S220	143	S219 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:51
S221	1786	alive near6 (ping\$3 or hear\$1beat or keep\$1alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:52
S222	117	S221 and S217 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:52
S223	284	alive near6 (ping\$3 or hear\$1beat or echo)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:52
S224	92	S223 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:52
S225	37	S217 and S224	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/17 17:52
L1	2542	((709/227).CCLS.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:31
L2	3922	((709/224).CCLS.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:31

L3	3648	((713/201).CCLS.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:31
L4	9578	11 or 12 or 13	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:31
S91	8339	((709/227).CCLS.) or ((709/224).CCLS.) or ((713/201).CCLS.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:31
L5	117	secur\$3 same (echo or heart\$1beat or keep\$1alive or ping\$) same (valid or alive)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:32
L7	28	15 and 14	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:33
L8	12	17 and @ad<"20000503"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:34
L6	1	secur\$3 same (echo or heart\$1beat or keep\$1alive or ping\$) same (valid or alive).clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:35
L9	2	security adj association same (echo or heart\$1beat or keep\$1alive or ping\$).clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/27 13:35